
MIZE RANCH

VICTORIA COUNTY PROPERTY DESCRIPTION



COLETO CREEK FRONTAGE & HUGE OAKS

The Mize Ranch is located off Stehle Road in southern Victoria County. The ranch has approx. 1 mile of frontage along Coleto Creek.

The ranch is mostly heavily wooded with large oak trees and underbrush. A campsite is located toward the back of the property and overlooks the open landscape along the creek bed. The campsite is surrounded by large live oaks and has electricity, water well and R.V. hook-ups. Several senderos along with a pipeline easement and transmission line easement create good access through the wooded acreage. The ranch is teaming with wildlife including deer, turkey, and hogs. The live water creek offers good fishing for catfish and bass. Some acreage along the creek is located within the 100-yr floodplain, but the majority of the ranch is out of the floodplain.

The current owners do not have a recorded access easement but have been using the same roads for years to access the property.

Property Directions:

From Downtown Victoria, take Business 59 south to FM 446. Take FM 446 south for approx. 5.25 miles to Stehle Rd., take a right on Stehle Rd. The property is approx. 3 miles away - please contact Billy for further directions.

LIST PRICE \$2,500,000






59

MIZE RANCH
700+/- ACRES - VICTORIA COUNTY




MIZE RANCH
700+/- ACRES - VICTORIA COUNTY



Terrostaride Pro

MIZE RANCH
700+/- ACRES - VICTORIA COUNTY







Natural Resources Conservation Service A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Victoria County, Texas

M4 Ranch Real Estate





MAP LEGEND

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons

-

Soil Map Unit Lines

Soil Map Unit Points

Special Point Features

(0)

Blowout

 \boxtimes

Borrow Pit

Clay Spot

 \wedge

Closed Depression

Gravel Pit

.

Gravelly Spot

0

Landfill Lava Flow

٨.

Marsh or swamp

2

Mine or Quarry

0

Miscellaneous Water
Perennial Water

0

Rock Outcrop

+

Saline Spot

. .

Sandy Spot

_

Severely Eroded Spot

Sinkhole

8

Slide or Slip

Ø

Sodic Spot

OLIND

8

Spoil Area Stony Spot



Very Stony Spot



Wet Spot Other

Δ.

Special Line Features

Water Features

~

Streams and Canals

Transportation

Transp

Rails

~

Interstate Highways

US Routes

 \sim

Major Roads

~

Local Roads

Background

Marie Control

Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24.000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Victoria County, Texas Survey Area Data: Version 18, Jun 11, 2020

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: May 28, 2010—Oct 17, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
КуС	Kuy sand, 0 to 5 percent slopes	643.8	94.7%
W	Water	0.8	0.1%
Za	Zalco fine sand, 0 to 1 percent slopes, frequently flooded	35.6	5.2%
Totals for Area of Interest		680.1	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the